


AUTHOR INDEX

- Coll, H., 541
Fava, R. A., 1
Fujii, K., 431
Ghosh, P., 195
Kurihara, M., 109
Noren, G. K., 385
Stille, J. K., 385
Turner, D. T., 229
Yoda, N., 109



SUBJECT INDEX

- Acetalization of PVA, 493
- Axialites, 44
- Boric acid
 - reaction of — with poly(vinyl alcohol), 500
- Branching of poly(vinyl alcohol)
 - long branching of poly(vinyl alcohol), 528
 - short branching of poly(vinyl alcohol), 530
- β -butyraldehyde sulfonic acid
 - reaction of — with poly(vinyl alcohol), 501
- Cage effect on chain fracture, 316
- Cellulose
 - accumulation of products from irradiated —, 301
 - G(F), G(free radical), 305
 - yields of products in photolysis and radiolysis, 361
- Chain transfer in vinyl acetate polymerization, 529
- Coloration
 - of poly(vinyl alcohol) with iodine, 514, 523
- Copolymerization of sulfur chlorides with diolefins, 213
- Cross-linking in irradiated polymers, 281
 - correlation with elastic modulus, 292
 - G(X) value, 282, 296, 299, 305
 - gel-sol ratio, 288
 - influence of dose, 321
 - influence of dose rate, 322
 - influence of physical state, 314
 - influence of temperature, 308
 - stoichiometry of, 292
- Crystal
 - extended chain, 78
 - folded chain, 9
 - growth, 66
 - growth rate, 70
 - lamellae, 9
 - metastability, 75
 - ribbon-like lamellae, 44
 - single — of polyethylene, 9
 - of poly(vinyl alcohol), 451, 508
 - of poly(vinyl formate), 463
 - thickness, 71
 - twisting of —, 50
 - virus —, 4
- Crystal growth
 - dendritic, 9, 24, 43
 - epitaxial, 27
 - instability of — front, 47
- Crystallinity
 - from density, 33
 - from heat of fusion, 33
 - of polyphenylene, 416
 - water resistance and tacticity of poly(vinyl alcohol), 502
 - X-ray determination of, 33
- Cyclopolycondensation reactions, 116
- DNA
 - fracture resulting from irradiation, 286
- Dehydrogenation of poly(1,3-cyclohexadienes), 388
- Dendrites, 43
- Density
 - amorphous polyethylene, 33
 - crystalline polyethylene, 33
 - of poly(vinyl formate) as function of tacticity, 460
- Diazothioether
 - as polymerization initiator, 198
- Diels-Adler polymerization
 - for preparation of polyphenylene, 404
- Dimethyl sulfoxide
 - as polymerization solvent and initiator, 211
- Divinyl monomers as the starting monomer for preparation of PVA, 442
 - divinyl acetals, 443
 - divinyl carbonate, 444
 - divinyloxydimethylsilane, 446
- Electrical conductivity of irradiated polymer, 245
 - electrical conductivity of polyphenylene, 418
- Electron spin resonance of irradiated polymer, 248
 - of free radicals, 253
 - of radical ions, 252
- Elemental sulfur
 - as initiator and/or modifier of polymerization, 204

- Esterification**
 of poly(vinyl alcohol), 499
- Fibers**
 of poly(vinyl acetate), 520
- Fibrils**, 46
- Fold period**, 68, 75
 fluctuation of —, 73
- Fold surface**, 15
 lattice interaction, 23
- Fractionation**
 by crystallization, 79
 by foaming, 517
- Fringed micelle**, 5
- Fuming nitric acid etching**, 35, 51
- G-values**
 derivation from the sol fraction, 288
 for chain fracture $G(F)$, 282, 296, 300, 305
 for cross-linking $G(X)$, 282, 292, 296, 299, 305
 for radical formation $G(\text{free radicals})$, 304
 of escaped electrons in polymers, 246
- Gases**
 influence on disappearance of radicals, 279
- Gelation (see also network formation)**
 of aqueous solution of
 poly(vinyl alcohol), 513
- Glass temperature**
 of poly(vinyl alcohol), 511
- Hydrogen sulfide**
 as initiator and/or modifier of
 polymerization, 209
- Hydrolysis**
 of poly(vinyl acetal), 491
 of poly(vinyl acetate), 496
- IR spectra**
 of poly(vinyl acetate), 486
 of poly(vinyl alcohol), 478
 of poly(vinyl formal), 490
 of poly(vinyl formate), 486
 of poly(vinyl trifluoroacetate), 490
- Intermediates formed in irradiated material**
 chemistry of —, 356
 detection and estimation, 244
 formation and distribution, 235
 primary (radical ions, electrons, excited molecules), 230
 scavenging of, 328
 secondary — (free radicals), 230
- Ionization phenomena in irradiated gases**, 235
 in polymers, 243
 in water, 240
- Irradiation effects in polymers**, 230
 influence of dose, 321
 influence of dose rate, 322
 influence of physical state on, 314
 influence of linear energy transfer, 326, 235
- Irradiation effects of α particles**, 326
 — of neutrons, 326
- Linear energy transfer in irradiated polymer**, 326
- Mechanical denaturation**
 of aqueous solutions of
 poly(vinyl alcohol), 518
- Polymerization**
 mechanism of — of 4,4'-diamino-3,3'-biphenyldicarboxylic acid, 158
 NMR evidence for salt formation during —, 163
 NMR evidence for protonation of the amino group during —, 164
 solid state — of vinyl formate, 461
- Melting**
 dissolution states of —, 85
 effect of heating rate on —, 95
 effect of irradiation on —, 98
 — point and tacticity of poly(vinyl alcohol), 511
 — point of single crystals of poly(vinyl alcohol), 508
 premelting, 84
 stages during melting on a substrate, 87
 superheating effects in —, 83
 true — point, 94
- Membrane**, 553
 ballooning of —, 550
 cellulosic —, 554
 porous glass —, 554
 performance of commercial —, 555
 permeation limit of —, 554
 reflection coefficient of —, 560
 selection coefficient of —, 560
 transport through —, 557
- Metal catalyzed coupling reactions for preparation of polyphenylene**, 399
- Mobility of radicals**, 275
 in glasses and crystals, 275
 in polyethylene, 277, 279
 in polyethylene terephthalate, 277, 278
 in polymethyl methacrylate, 276

- Model compounds
 low molecular weight — for PVA, 447
- Model reactions for heterocycle formation, 118
- Molecular fracture in irradiated polymers, 281
 G(F) value, 282, 296, 305
 influence of dose, 321
 influence of dose rate, 322
 influence of physical state, 314
 influence of temperature, 308
 of side substituents and main chain, 354
 — and reduction of elastic modulus, 291
 soluble products as consequence of —, 284
 stoichiometry of —, 300
- Monomer
 starting — for preparation of poly(vinyl alcohol), 433, 447
 use of — before or after irradiation, 352
- Morphology
 lamellar, 10
 of heat treated crystals, 85
- NMR spectra, high resolution
 of poly(vinyl acetate), 467
 of poly(vinyl alcohol), 471
 of poly(vinyl formal), 476
 of poly(vinyl formate), 476
 of poly(vinyl trifluoroacetate), 473
- Natural rubber (cis 14 polyisoprene)
 accumulation of products from irradiated —, 301
 G(X) and G(F) for irradiated —, 296
 influence of additives on network formation in irradiated —, 336
 solubility changes by irradiation, 312
- Network
 characterization of —, 288
 derivation of G(X) and G(F) from the sol fraction, 283
 — formation in irradiated polymer, 287
 influence of additives on network formation, 336
- Nucleation
 primary —, 63
 row —, 53
 secondary —, 66
- Organic sulfides
 as initiators and/or modifiers of polymerization, 205
- Organic sulfoxo compounds
 as polymerization initiators, 198
- Osmodialysis, 578
- Osmometer
 automatic, 547
 concentration profile in the —, 552
 dynamic —, 547
 high speed recording —, 547
 nonideal —, 551
 one-cell —, 544
 two-cell —, 544
- Osmometry
 diffusion theory of —, 567
 experimental results of —, 512
 flow equations in —, 557
 nonequilibrium —, 541
 — of association colloids (micelles), 582
 — of surfactants, 582
 theory of —, 557
- Osmotic pressure
 dynamic method of — measurement, 546
 high speed recording of —, 547
 measurement of —, 544
 static method of — measurement, 544
 time dependence of —, 545, 562, 584, 565, 569, 573, 580
- 1,3,4-Oxadiazoles, 140
- Oxidative cationic polymerization of phenylene, 387
- Paracrystalline structure, 39
- Peroxy sulfur compounds
 as polymerization initiators, 196
- Photochemistry of intermediates, 357
 influence of inert gas, 365
 photolysis of free radicals, 360
 reactions of hydrogen atoms, 365
 role of low energy states, 358
- Photolysis of free radicals, 360
 comparison with radiolysis in cellulose, 361
- Polyamic acid
 thermal stability of —, 125
- Polyamides
 accumulation of radicals in irradiated —, 265
- Polyaromatic heterocycles, 117
- Poly(benzimidazoquinazolines), 178
- Poly(benzimidazobenzophenanthrolines), 170
- Poly(benzimidazoquinazolones), 182
- Polybenzoxazinones, 119, 120
 polymerization of —, 121
 solution polymerization of —, 122
 thermal stability of —, 125

- Polybenzoxazoles, 149
 Poly(dimethyl siloxane)
 free radicals in irradiated —, 257
 G(F), G(free radical) —, 305
 influence of additives on network
 formation in irradiated —, 341
 yield of products of irradiated —, 311
 Polyethylene
 accumulation of radicals, 260
 alkyl radical disappearance in, 270, 273
 — allyl radicals, 266, 273
 changes of ESR spectra of irradiated
 on UV exposure, 363
 changes in unsaturation on irradiation,
 295
 ESR spectra of irradiated, 253
 G(X), G(free radical), 305
 influence of additives on network
 formation in irradiated —, 342
 influence of dose rate on optical
 density of —, 325
 sol-gel ratio of irradiated —, 288, 317
 trapped electrons, 252
 UV absorption bands assigned to free
 radicals, 259
 yield of products of irradiated —, 310
 Polyethylene crystals, 2, 9-15
 dislocation network, 30, 38
 extended chain —, 55
 hollow pyramids, 17
 lozenges, 16
 Moiré pattern, 25
 multilayer —, 23
 whiskers, 54
 Polyethylene oxide
 crystals, 78
 Polyethylene terephthalate
 accumulation of radicals in irradiated
 —, 265
 crystal thickness, 78
 ESR spectra of irradiated —, 255
 influence of dose rate on optical density
 of —, 323, 324
 surface morphology of —, 7
 yields of products, cross-links, and
 fracture for different types of
 radiation, 359
 Poly(imidazopyrrolones), 169
 Polyindolones, 119, 156
 Poly(indoloquinoxalines), 184
 Polyindoxyls, 119, 157
 Poly(isobutenes)
 change in viscosity of irradiated —,
 313
 fracture of side substituents and main
 chain, 355
 G(radical) of — in the presence of
 styrene, 353
 influence of additives on network
 formation in irradiated —, 346
 Poly(isoindolaquinazolinodiones), 176
 Polymerization conditions
 effect of — of vinyl acetate on
 properties of derived
 poly(vinyl alcohol), 521
 Poly(methyl methacrylate)
 accumulation of products from
 irradiated —, 302
 accumulation of radicals in irradiated
 —, 265
 free radicals in — irradiated —, 257
 G(F), G(free radical), 287, 305
 influence of additives on network
 formation in irradiated —, 344
 Poly-4-methyl pentene, 1
 crystals, 12
 Polyoxymethylene
 crystals, 12, 28
 shish-kebabs, 53
 Poly-4-phenyl-1,2,4-triazoles, 145
 Polyphenylenes, 385
 crystallinity, 416
 miscellaneous reactions and uses of
 —, 424
 radiation stability, 419
 semiconducting properties, 418
 solubility and solution properties, 417
 synthesis by Diels-Adler
 polymerization, 404
 synthesis by dehydrogenation of
 poly(1,3-cyclohexadiene), 398
 synthesis by metal catalyzed coupling
 reactions, 399
 synthesis by miscellaneous methods, 406
 synthesis by oxidative — cationic
 polymerization, 388
 thermal stability, 420
 Polyphosphoric acid, 110
 application of — in polymeric
 reactions, 117
 constitution of, 113
 double cyclization polymers obtained
 by — solution polymerization,
 168
 mechanism of polymerization in —,
 158
 Poly-p-xylylene
 crystals of —, 13
 Polypropylene
 crystals, 12
 free radicals in irradiated —, 256
 radical conversion by UV irradiation,
 364
 Poly(pyrimidinetetrayls), 172
 Poly(quinolines), 185
 Poly(quinoxalines), 174

Poly(quinoxalinetriazine oxazines), 186
 Poly(quinazolinoquinazolones), 183
 Polyquinazolones, 119, 120, 152
 Polystyrene
 free radicals in irradiated —, 257
 G(X), G(free radical), 305
 G(X) and G(H₂), 299
 irradiation in nuclear reactor, 327
 sedimentation of irradiated —, 285
 Poly(tetrafluoroethylene)
 free radicals in irradiated, 256
 Polyurea acid
 properties, 133
 Polyquinazolinediones, 127
 cyclodehydration, 129
 polycondensation, 129
 properties, 133
 Poly(vinyl acetal)
 hydrolysis of —, 491
 Poly(vinyl acetate), 457
 hydrolysis of —, 496
 IR spectrum, 486
 NMR spectrum, 467
 Poly(vinyl acetoacetal)
 IR spectrum, 490
 Poly(vinyl alcohol), 432
 preparation of stereoregular —
 — from divinyl monomers, 442
 — from vinyl esters, 439
 — from vinyl ethers, 433
 structural irregularities of —, 527
 IR spectrum of —, 478
 low molecular weight model
 compounds, 447
 microtacticity and acetalization of
 —, 493
 microtacticity and chemical
 reactions of —, 490
 microtacticity and esterification of
 —, 499
 NMR spectrum of —, 471
 stereoregularity and crystallinity
 of —, 449
 tacticity and physical properties of
 —, 501
 tacticity and solid properties of
 —, 501
 tacticity and solution properties of
 —, 513
 Poly(vinyl formal)
 IR spectrum, 490
 NMR spectrum, 476
 Poly(vinyl formate), 457
 IR spectrum, 486
 NMR spectrum, 476
 Poly(vinyl trifluoroacetate), 464
 IR spectrum, 490
 NMR spectrum, 473

Radicals

accumulation of —, 260
 back reactions with hydrogen atoms,
 261
 conversion by UV irradiation, 363
 disappearance of —, 268
 kinetics of —, 210
 free —, 253
 G(free radicals), 304, 352
 ion —, 252
 migration, 275
 motion in the matrix, 275
 overlapping of spurs, 263
 polyethylene allyl —, 266
 reactions, 331
 resetting at random, 264
 scavenging of —, 328
 UV absorption bands in irradiated
 polymers, 250
 Reactions in irradiated polymer
 fracture of main chain, 354
 fracture of side substituents, 354
 fractures and cross-links, 281
 molecular —, 331
 photochemistry of radicals, 331
 Reflection coefficient of membrane, 560,
 570
 (Staverman coefficient)
 Salts of reducing sulfoxo compounds
 as polymerization initiators, 202
 Scavengers of intermediates
 in natural rubber, 336
 in polydimethylsiloxane, 341
 in polyethylene, 342
 in polymethyl methacrylate, 344
 in polyisobutene, 346
 use of — for determination of
 G(radical), 330
 Scavenging of intermediates in irradiated
 polymer, 328
 scavenging of free radicals, 328
 Self polymerization of aromatic
 dicarboxylic acids
 mechanism of, 168
 Shish-kebabs, 51
 Solubility of polyphenylene, 417
 Solutes
 effect of polydispersity of — on
 osmotic pressure, 546
 flow of — through membrane, 557
 multicomponent —, 578
 — permeation and molecular weight,
 576
 single component —, 572
 Solution properties of polyphenylene, 417
 solution properties of
 poly(vinyl alcohol), 513

- Solvent**
 effect of dielectric constant of — on polymer, 526
 effect of polar — on the stereoregularity, 437
 effect of — on properties of derived polymer, 524
- Spectroscopy of irradiated polymer**, 258
spectroscopy of polyphenylene, 412
- Spherulites**, 7
 evolution of —, 39
 fibril —, 41
 — grown from solution, 46
 — of poly(vinyl alcohol), 507
 — nucleus, 41
 — ribbon, 43
- Spiropolyimides**, 188
- Spurs**, 235
 formation, 239
 overlapping of —, 263
 radical disappearance in —, 271
- Stability**
 of aqueous DMSO solutions of poly(vinyl alcohol), 517
 radiation — of polyphenylene, 420
 thermal — of polyamic acid, 125
 thermal — of polyphenylene, 419
- Steric conformation of poly(vinyl alcohol)**, 519
- Structure**
 1,2-glycol structure in poly(vinyl alcohol), 527
 — and properties of poly(vinyl alcohol) derived from vinyl acetate, 521
 crystal — of polyethylene, 3
 crystal — of poly(vinyl alcohol), 501
- Sulfonyl azides as polymerization initiator**, 198
- Sulfoxy groups in the repeating unit of polymers**, 223
- Sulfur compounds**
 as polymerization initiators, 196
 as polymerization initiators and modifiers, 204
 as polymerization solvent and initiator, 211
- Sulfur dioxide**
 participation of — in polymerization, 213
- Sulfuric acid**
 as polymerization initiator, 200
- Sulfuryl chloride**
 as polymerization initiator, 202
- Surface**
 amorphous — layers, 35
 — disorder, 31, 36
 fold —, 15, 36
 gold decoration of —, 31
 — morphology, 6
- Surfactants**
 osmometry of —, 582
- Swelling**
 of poly(vinyl alcohol), 522
- Crystallization**
 — during polymerization, 61
 fractionation during —, 79
 — from dilute solution, 34, 43
 — from melt, 39
 — from stirred or sonicated solution, 53
 kinetic theory of —, 63
 mechanisms of —, 62
 oriented —, 58
 rate of —, 68
 — theory, 69
 — under high pressure, 81
 — and tacticity, 449
 — of poly(vinyl alcohol) from solution, 508
- Tacticity (stereoregularity)**
 — and crystallizability, 449
 — and physical properties, 501
 — and solid properties, 501
 — and solution properties, 513
 crystallinity, water resistance, and — of poly(vinyl alcohol), 502
 — estimated from reactivity, 496
 — of poly(vinyl acetate), 457
 — of poly(vinyl alcohol), 449
 — of poly(vinyl formate), 457
 — of poly(vinyl trifluoroacetate), 464
- Texture**
 banded spherulitic —, 8
 granular —, 5-7
 lamellar —, 39
- Thermogravimetric analysis of poly(vinyl alcohol)**, 520
- Thickening mechanisms**, 90
- Thiourea**
 as polymerization initiator, 203
- Trans 1,4 polyisoprene**
 solubility after irradiation of —, 320
- Triphenylmethylation**, 500
- Unit cell**, 2
 density of polyethylene —, 26
 density of poly(vinyl alcohol) —, 502, 508
 orthorhombic — of polyethylene, 3
- Vinyl esters as the starting monomer for preparation of PVA**, 439
- Vinyl ethers as the starting monomers for preparation of PVA**, 433

- vinyl benzyl ether, 433
- vinyl t-butyl ether, 435
- vinyl trimethylsilyl ether, 438
- Viscoelasticity, dynamic
 - of poly(vinyl alcohol), 513
- Water resistance
 - and tacticity of poly(vinyl alcohol), 502, 522
- X-ray diffraction pattern
 - anisotropy of wide-angle — of poly(vinyl alcohol film), 506
 - small angle —, 39, 71
 - wide-angle — of poly(vinyl alcohol), 449
 - wide-angle — of poly(vinyl formate), 457
 - wide-angle — of poly-(vinyl trifluoroacetate), 464